Filing Date: March 8, 2004

Title: HOLDER FOR MULTIPLE DOCUMENTS

Page 2 Dkt: 1894.001US1

In the Claims

- 1. (Currently Amended) A holder for multiple documents, comprising:
 - a base for resting on a substantially horizontal surface;
- a pyramidal body having a vertical axis and a number of upwardly slanting edges; and multiple slots in at least some of the slanting edges, each of the slots facing upwardly and being curved in a horizontal direction for holding one of the documents.
- 2. (Currently Amended) The holder of claim 1 where the slots are curved-sufficiently to prevent the documents from bending over in a vertical direction.
- 3. (Currently Amended) The holder of claim 2 where the slots are curved-sufficiently so as to aid in preventing the documents from tipping sideways.
- 4. (Currently Amended) The holder of claim 2 A holder for multiple documents, comprising:
 - a base for resting on a substantially horizontal surface;
- a pyramidal body having a vertical axis and a number of upwardly slanting edges; and multiple slots in at least some of the slanting edges, each of the slots being curved in a horizontal direction for holding one of the documents, where the slots are curved outwardly from the vertical axis of the body to prevent the documents from bending over in a vertical direction.
- 5. (Original) The holder of claim 1 where the slots are slanted upwardly toward the vertical axis of the body.
- 6. (Currently Amended)—The holder of claim 1-where the body has A holder for multiple documents, comprising:
 - a base for resting on a substantially horizontal surface;
 - a pyramidal body having a vertical axis and four upwardly slanting edges; and

multiple slots in at least some of the slanting edges, each of the slots being curved in a horizontal direction for holding one of the documents.

- 7. (Currently Amended) The holder of claim 1-further comprising a base where the base includes a piece separate from the body.
- 8. (Currently Amended) The holder of claim 7 further including a rotation mechanism for rotating the body relative to the base <u>piece</u>.
- 9. (Original) The holder of claim 8 where the rotation mechanism includes a ball-bearing racetrack.
- 10. (Original) A desktop document holder, comprising:
 - a base for contacting a horizontal surface;
- a pyramidal body including a vertical axis and a number of upwardly slanting edges of length in the approximate range of 14 to 17 inches;

banks of at least 4 slots in at least some of the edges, each of the slots being curved outwardly from the vertical axis in a horizontal direction and tilted upwardly toward the vertical axis for holding one of the documents, the banks being spaced apart sufficiently to avoid interference between documents in adjacent banks; and

a rotation mechanism for rotating the body with respect to the base.

- 11. (Original) The holder of claim 10 where the slots subtend an arc of about 110-150°.
- 12. (Original) The holder of claim 11 where the slots have a length of about $1-2^{1}/2$ inches.
- 13. (Original) The holder of claim 11 where the slots have a width of about 0.1 inch.
- 14. (Original) The holder of claim 11 where the slot have a depth of about 1-2 inches.

Title: HOLDER FOR MULTIPLE DOCUMENTS

15. (Original) The holder of claim 10 where the slots tilt less than about 20° from the vertical axis

- 16. (Original) The holder of claim 15 where the slots tilt about 5-12° from the vertical axis.
- 17. (Original) The holder of claim 10 where the body is made of molded plastic.
- 18. (Original) The holder of claim 17 where the upwardly slanting edges are radiused.
- 19. (Original) The holder of claim 10 where the body is made of jointed wood faces.
- 20. (Original) The holder of claim 10 where the base is substantially circular.
- 21. (Original) The holder of claim 20 where the base is approximately the same width as the body.
- 22. (New) The holder of claim 1 further comprising a number of faces extending at least partially between all adjacent ones of the upwardly slanting edges.
- 23. (New) The holder of claim 1 further comprising a number of faces extending continuously between all adjacent ones of the upwardly slanting edges.